

LEADER IN **E-RICKSHAW...**



ABOUT BVR

OUR PRODUCTS

- Assembly Infrastructure
- R&D
- Quality Control
- Sales and Marketing
- After Sales Service & Warranty

Environment Friendly e-Rickshaw, Capturing the Growing Market



ELECTRIE				
ERickshaw				
Length	Width	Height		
2730mm	980mm	1725mm		





ELECTRIE				
	EPlus			
Length	Width	Height		
2795mm	960mm	1705mm		



ELECTRIE				
ECart				
Length	Width	Height		
2730mm	980mm	1725mm		

ELECTRIE ECab

970mm

Height

1780mm

Length

2760mm



HIGHLY ECONOMICAL/COST EFFECTIVE ZERO - EMISSION MEANS OF TRANSPORT ALTERNATIVE TO PETROL/DIESEL/CNG EASY TO OPERATE NO MORE HAND PULLING REQURIES LESS MAINTENANCE & HASSLE FREE

www. websitename.com



Battery

Charger





ROOF PLASTICABS ROOF WITH BRIGHTER COLOURS BRAKE - HEAVY DUTY BREAK DRUMS CHASSIS - HEAVY DUTY WITH STRONG JOINTS (ALL ARE MIG WELDING EASILY REPAIRABLE)

TECHNICAL SPECIFICATIONS*		
Vehicle Specifications		
Power ful Suspension	Hydraulic Shockers	
Battery	100 Ah	
Туре	LEAD Acid	
Electricity Comsumption/ Charge	5-6 Units	
Charging Time	8 Hours	
Motor	BLDC	
Driving Range	80 Km/charge	
Power	850 Watt	
Maximum Speed	25 Km/hr	
Controller	24 Tube 50 Amp.	
Charger	15 Amp. Copper	
WARRANTY		
Motor (50% cost to be charged)	Upto 6 Months	
Controller	3 Months	

6 Months

ADDRESS